Clinic Tools

Vaccine Wastage Guide

Use this guide to account for vaccine wastage. Vaccine is considered wastage in the following situations:


- The vial or syringe is broken or damaged.
- The vaccine is drawn into the syringe but not administered for any reason (ie. contamination, patient refusal, beyond use date/time (BUD) reached).
- Open vials of vaccine where all doses are not administered before the expiration date or BUD.
- Closed vials of COVID-19 vaccine that are not used before the expiration date or BUD.

Un-opened vials of VFC/VFAAR vaccine should be returned. Scan the QR code for our returns guide:





Adding Wastage from Inventory On-Hand




- 1. Login to PhilaVax. From the left-side navigation panel select Inventory > Vaccines > On-Hand from the dropdown menus.
- **2.** Select your **Inventory Location** from the drop-down menu.
- 3. Click Filter.

Clinic Tools

Vaccine Wastage Guide





- 4. Click Action next to the lot number you want to report wastage for.
- 5. Click Adjustment.
- **6.** Select today's date and time by double-clicking in the respective boxes.
- 7. Under **Reason**, select an option from the drop down menu besides **Other**.
- **8.** Under **Modification**, always select **Subtract**.
- 9. Under Doses Adjusted, enter in the number of doses to adjust out.
- **10.** In the **Comments** section, write the reason(s) the vaccine had to be wasted.
- 11. Click Create to complete the wastage and return to the on-hand screen.



Clinic Tools

Vaccine Wastage Guide

Adding Wastage from the Reconciliation

For guidance opening a reconciliation, scan our reconciliation guide:



Inventory Location: PROJ01 COVID-19 ULTRALOW COLD FREEZER								
Description: ^ 11/19 RECON		Authorized By: DDC, PDPH ()			· †	Status: * OPEN		
Count Date: * 11/19/2021	Count Time: * 11:30 AM	Last Count Date/Time: 10/12/2021 12:00:00	AM			Last Order Date: 11/18/2021	Ħ	
Inventory by Doses								
Description			Summary	Aggregate Administered	Physical Count	Inventory Difference	Acceptable Inv. Difference	Action
PANDEMIC 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK6127 • 1.							Action ventory Adjustment	
2. COVID Tris-Suc (PFR 5-12) (Pfizer COVID19 MRNA 5-11 years of age 10mcg/0.2ml) PFR • 59267-1055-04 • FK5618 • 02/28/2022						-3000	Transacti	

- 1. Note the time and date that you started the reconciliation.
- 2. Click on the Action tab to the right of the vaccine/LOT# that you want to complete wastage for.
- 3. Click on Create Inventory Adjustment.
- **4.** Enter a Date/Time in the past, when the wastage occurred.
 - Enter the day before you started the reconciliation if the wastage reflects multiple days or the date is unknown.
 - The date cannot be a future date or time.
- **5.** Under **Reason**, select an option from the drop down menu besides **Other**.
- 6. Under Modification select Subtract.
- 7. Enter the number of doses wasted in **Doses Adjusted**.
- 8. Describe why doses were wasted.
- **9.** Click **Create** to finish the wastage and return to the reconciliation.

