California Department of Health Care Services Medi-Cal Rx NCPDP Payer Specification Sheet

Version 3.0 April 1, 2022

Instructions Related to Transactions Based on NCPDP Version D.0

- (B1) Claim Billing
- (B2) Claim Reversal
- (B3) Claim Rebill
- (P2) Prior Authorization Reversal
- (P3) Prior Authorization Inquiry
- (P4) Prior Authorization Request
- (B1) SB393 Drug Price Inquiry
- (E1) Eligibility Verification



Revision History

Document Version	Date	Comments		
1.0	10/22/2020	Initial Version		
1.1	09/23/2021	 Added detailed sections for: B1 – Drug Price Inquiry (Section 6.0) E1 – Eligibility Verification (Section 7.0) Updated the following fields: 307-C7 (Section 1.1, Section 5.1, Section 7.1) 420-DK (Section 1.1) 461-EU (Section 1.1) 423-DN (Section 1.1) 436-E1 (Section 1.1, Section 2.1, Section 5.1, Section 6.1) 		
2.0	10/01/2021	Finalized upon DHCS Approval.		
2.1	03/25/2022	 Updated the following fields: 408-D8 (Section 1.1, Section 5.1, Section 6.1) 420-DK (Section 1.1) 461-EU (Section 1.1) 488-RE (Section 1.1, Section 5.1) 449-EE (Section 1.1) 		
3.0	04/01/2022	Finalized upon DHCS Approval.		

Refer to <u>Appendix A</u> for a detailed history of changes to the <u>Medi-Cal Rx NCPDP Standard</u> Payer Specification Sheet.

Table of Contents

General	Information	5
Transact	ions Supported	6
Field Le	gend for Columns	6
BIN/PCN	I Information	7
1.0 N	CPDP Version D.0 Claim Billing/Claim Re-Bill Template	8
1.1	B1/B3 – Claim Billing/Claim Re-Bill Request	8
1.2	B1/B3 – Claim Billing/Claim Re-Bill Response	21
1.2.	Accepted/PAID or Duplicate of PAID	21
1.2.2	2 Accepted/Rejected	28
1.2.3	Rejected/Rejected	35
2.0 N	CPDP Version D.0 Claim Reversal Template	37
2.1	B2 – Claim Reversal Request	37
2.2	B2 – Claim Reversal Response	40
2.2.	Accepted/Approved	40
2.2.2	2 Accepted/Rejected	44
2.2.3	Rejected/Rejected	46
3.0 N	CPDP Version D.0 Prior Authorization Reversal Template	49
3.1	P2 – Prior Authorization Reversal Request	49
3.2	P2 – Prior Authorization Reversal Response	50
3.2.	Accepted/Approved or Captured	50
3.2.2	2 Accepted/Rejected	52
3.2.3	Rejected/Rejected	55
4.0 N	CPDP Version D.0 Prior Authorization Inquiry Template	57
4.1	P3 – Prior Authorization Inquiry Request	57
4.2	P3 – Prior Authorization Inquiry Response	59
4.2.	Accepted/Captured	59
4.2.2	2 Accepted/Approved	61
4.2.3	B Accepted/Deferred	64
4.2.4	4 Accepted/Rejected	66
4.2.	5 Rejected/Rejected	69
5.0 N	CPDP Version D.0 Prior Authorization Request Only Template	71
5.1	P4 – Prior Authorization Request Only Request	71
5.2	P4 – Prior Authorization Request Only Response	79
5.2.	Accepted/Captured	79
Madi Ca	LDv NCDDD Dovor	

5	.2.2	Accepted/Rejected	82
5	.2.3	Rejected/Rejected	
6.0	NCPI	DP Version D.0 Drug Price Inquiry	87
6.1	B1 -	– Drug Price Inquiry Request	87
6.2		– Drug Price Inquiry Response	
6	.2.1	Accepted/PAID or Duplicate of PAID	92
6	.2.2	Accepted/Rejected	100
6	.2.3	Rejected/Rejected	105
7.0	NCPI	DP Version D.0 Eligibility Verification Template	108
7.1	E1 -	– Eligibility Verification Request	108
7.2		– Eligibility Verification Response	110
7	.2.1	Accepted/Approved	110
7	.2.2	Accepted/Rejected	112
7	.2.3	Rejected/Rejected	114
Apper	ndix A	– Detailed History of Changes	117

General Information

The information within this section is **NEW!** and applies to all transactions in the document.

Refer to the information in the chart below for successful transmission of transactions as well as contact and support numbers that have changed with the transition.

Payer Name: Magellan Medicaid Administration	Date: 1/1/2022			
Plan Name/Group Name: Medi-Cal Rx	NEW! BIN*: 022659	NEW! PCN*: 6334225		
SB393 Drug Inquiry Pricing Request	NEW! BIN*: 022667	NEW! PCN*: 393		
Processor: Magellan Medicaid Administr	ration			
Effective as of: 1/1/2022	Effective as of: 1/1/2022 NCPDP Telecommunication Standard Version/Release #: D.0			
NCPDP Data Dictionary Version Date: NCPDP External Code List Version Date: October 2019				
Contact/Information Source: https://medi-calrx.dhcs.ca.gov/home/ The <i>Medi-Cal Rx Provider Manual</i> and additional helpful information can be found by accessing this link.				
Pharmacy Help Desk Information: 1-800-977-2273				
Testing Contact Information: MRxPharmacyTesting@primetherapeutics.com				
Other versions supported: No				

^{*}Refer to the BIN/PCN Information table below for the full list of transactions and associated BIN/PCNs.

Transactions Supported

Payer: List each transaction supported with the segments, fields, and pertinent information on each transaction.

NEW! Note that B3 – Claim Rebill is now a valid Transaction for submission.

Transaction Code	Transaction Name		
B1	Claim Billing		
B2	Claim Reversal		
В3	Claim Re-Bill		
E1	Eligibility Verification		
P2	Prior Authorization Reversal		
P3	Prior Authorization Inquiry		
P4	Prior Authorization Request		

Field Legend for Columns

Fields that are not used in the transactions and those that do not have qualified requirements (i.e., not used) for this payer are excluded from the templates as specified in each respective section in this document.

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	М	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

BIN/PCN Information

Transaction Type	Transaction Code 103-A3	BIN 101-A1	PCN 104-A4
Claim Billing Request	B1		
Claim Billing Reversal Request	B2		
Claim Rebill	В3		6334225
Eligibility Verification Request	E 1	022659	
Prior Authorization Reversal	P2		
Prior Authorization Inquiry	Р3		
Prior Authorization Request Only	P4		
SB393 Drug Inquiry Pricing Request	В1	022667	393

1.0 NCPDP Version D.0 Claim Billing/Claim Re-Bill Template

1.1 B1/B3 – Claim Billing/Claim Re-Bill Request

Start of Request Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Claim Billing or Claim Re-Bill Transaction for the National Council for Prescription Drug Programs (NCPDP) Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent.	X	
Source of certification IDs required in	X	
Software Vendor/Certification ID (110-AK)		
is Payer Issued.		

Transaction Header Segment		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN Number	022659	М	NEW!
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B1, B3	М	
104-A4	Processor Control Number	6334225	М	NEW!
109-A9	Transaction Count		M	One transaction for compound claim; Four allowed for B1 or B3.
202-B2	Service Provider ID Qualifier	01 = National Provider Identifier (NPI)	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	

Transaction Header Segment		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
110-AK	Software Vendor/ Certification ID	This will be provided by the provider's software vendor.	M	Required when vendor is certified with Magellan – otherwise submit all zeroes.

Insurance Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation		
This Segment is always sent.	Χ			

Insurance Segment Segment Identification (111-AM) = "04"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	Cardholder ID		M	Submit Cardholder Identification Number (CIN), Health Access Programs (HAP), or Benefits Identification Card (BIC).
301-C1	Group ID	MediCalRx	R	NEW!
306-C6	Patient Relationship Code	1 = Cardholder 3 = Child 4 = Other (use for Transplant Donor)	RW	Required to submit "3" when submitting newborn claims using Mom's Medi-Cal Cardholder ID. Required to submit "4" when submitting claims for a transplant donor, when using transplant recipient's Medi-Cal Cardholder ID.

Patient Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent.	X	

Segr	atient Segment nent Identification 111-AM) = "01"	Claim Billing/Claim Re-Bill		g/Claim Re-Bill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	Date of Birth		R	
305-C5	Patient Gender Code		R	
310-CA	Patient First Name		R	
311-CB	Patient Last Name		R	
307-C7	Place of Service		RW	Required if this field could result in different coverage, or pricing, or patient financial responsibility. Please submit NCPDP field 384-4X Patient Residence to identify Long Term Care.
335-2C	Pregnancy Indicator	Blank = Not Specified 1 = Not Pregnant 2 = Pregnant	RW	NEW! Required if the patient is known to be pregnant.
384-4X	Patient Residence	3 = Nursing Facility 9 = Intermediate Care Facility/ Individuals with Intellectual Disabilities	RW	NEW! Required if this field could result in different coverage, pricing, or patient financial responsibility. Required for Long Term Care.

Claim Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent.	X	
This plan does not support partial fills.	Χ	

Segr	Claim Segment nent Identification 111-AM) = "07"	Claim Billing/Claim Re-Bill		/Claim Re-Bill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier	1= Rx Billing	М	
402-D2	Prescription/Service Reference Number		М	
436-E1	Product/Service ID Qualifier	00 = Not specified 03 = National Drug Code (NDC)	M	00 = Compound 03 = NDC, Medical Supplies and Enteral Nutrition
407-D7	Product/Service ID		M	NDC for non-compound claims, "0" for compound claims.
442-E7	Quantity Dispensed		R	
460-ET	Quantity Prescribed		RW	Required when a transmission is for a Scheduled II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 09/21/2020. Refer to the Version D.0 Editorial Document).
403-D3	Fill Number		R	
405-D5	Days' Supply		R	
406-D6	Compound Code		R	
408-D8	Dispense as Written (DAW)/Product Selection Code	0 = No Product Selection Indicated 1 = Substitution Not Allowed by Prescriber 9 = Substitution Allowed by Prescriber – Plan Requests Brand	R	Enter '1' to identify when the brand drug/product is medically necessary as indicated by the prescriber.

Segr	Claim Segment ment Identification 111-AM) = "07"	Claim Billing/Claim Re-Bill		/Claim Re-Bill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
414-DE	Date Prescription Written		R	
415-DF	Number of Refills Authorized	0 = No refills authorized 1–99 = Authorized Refill number	R	NEW!
419-DJ	Prescription Origin Code	1 = Written2 = Telephone3 = Electronic4 = Facsimile5 = Pharmacy	R	
354-NX	Submission Clarification Code Count	Maximum count of 3.	RW	NEW!
420-DK	Submission Clarification Code		RW	2 = Other Override – Submit for Initial Dose of COVID vaccine. 6 = Starter Dose – Submit for second dose of COVID vaccine. 7 = Medically Necessary (indicates that Code 1 Restrictions have been met); this code is also required when a claim is submitted for the third dose of COVID vaccine. 8 = Process Compound for Approved Ingredients 10 = Meets Plan Limitations – Submit for booster dose of COVID vaccine. 13 = Payer-Recognized Emergency/Disaster Assistance (providers will be

Segn	Claim Segment nent Identification 111-AM) = "07"	Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				notified when activated for use). 20 = 340B pharmacy has determined the product being billed is purchased pursuant to rights available under Section 340B of the Public Health Act of 1992.
308-C8	Other Coverage Code		RW	Required for Coordination of Benefits.
600-28	Unit of Measure	Values: EA = Each GM = Grams ML = Milliliters	R	NEW!
418-DI	Level of Service	3 = Emergency	RW	NEW! Required when self- certifying the Emergency Statement is met for a 14- day emergency supply on POS claims.
461-EU	Prior Authorization Type Code	8 = Newborn Claims	RW	NEW! Submit "8" for newborn claims.
462-EV	Prior Authorization Number Submitted		RW	Required if this field could result in different coverage, pricing, or patient financial responsibility. Not required to submit historical PA numbers.
995-E2	Route of Administration	SNOMED	RW	Required when submitting compound claims.
996-G1	Compound Type		RW	NEW! Required when needed to clarify the type of compound.

Pricing Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent.	X	

Segr	ricing Segment ment Identification (111-AM) = "11"	Claim Billing/Claim Re-Bill		/Claim Re-Bill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	Ingredient Cost Submitted		R	
412-DC	Dispensing Fee Submitted		RW	Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
433-DX	Patient Paid Amount Submitted		RW	NEW! NOT REQUIRED; DO NOT SEND
438-E3	Incentive Amount Submitted		RW	Required if its value has an effect on the Gross Amount Due (430-DU) calculation. Used to indicate Compound Sterilization Fee.
478-H7	Other Amount Claimed Submitted Count	Maximum count of 3.	RW	Required if Other Amount Claimed Submitted Qualifier (479-H8) is used.
479-H8	Other Amount Claimed Submitted Qualifier	09 = Compound Prep Cost	RW	Required if Other Amount Claimed Submitted (480-H9) is used. Used to indicate Compounding Fee.
480-H9	Other Amount Claimed Submitted		RW	Required if its value has an effect on the Gross Amount Due (430-DU) calculation. Used to indicate Compounding Fee.
426-DQ	Usual and Customary Charge		R	
430-DU	Gross Amount Due		R	

Segr	ricing Segment nent Identification 111-AM) = "11"	Claim Billing/Claim Re-Bill		/Claim Re-Bill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
423-DN	Basis of Cost Determination		RW	Required if needed for receiver claim/encounter adjudication. Submit "08" – 340B/Disproportionate Share Pricing/Public Health Service. Submit "15" – Free product or no associated cost.

Provider Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is not sent.	X	
This Segment is always sent.	X	

Segn	escriber Segment nent Identification 111-AM) = "03"	Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value Payer Payer Situation		
466-EZ	Prescriber ID Qualifier	01 = NPI	R	
411-DB	Prescriber ID		R	Must submit valid individual NPI.
427-DR	Prescriber Last Name		RW	Required if known.
364-2J	Prescriber First Name		RW	Required if known.

Coordination of Benefits/ Other Payments Segment Questions	Check	Claim Billing If Situational, Payer Situation
This Segment is situational.	X	Required only for secondary, tertiary, etc. claims.
Scenario 1 – Other Payer Amount Paid Repetitions Only.	X	

Coordination of Benefits/ Other Payments Segment Segment Identification (111-AM) = "05"		Scenario 1 - Other Payer Amount Paid Repetitions Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	Coordination of Benefits/ Other Payments Count	Maximum count of 9.	М	NEW! Up to maximum of 9 allowed for submission.
338-5C	Other Payer Coverage Type		М	
339-6C	Other Payer ID Qualifier		RW	Required if Other Payer ID (340-7C) is used.
340-7C	Other Payer ID		RW	Required if identification of the Other Payer is necessary for claim/ encounter adjudication.
443-E8	Other Payer Date		RW	Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.
341-HB	Other Payer Amount Paid Count	Maximum count of 9.		Required if Other Payer Amount Paid Qualifier (342-HC) is used. Required on all Coordination of Benefits (COB) claims with Other Coverage Code of "2" or "4."
342-HC	Other Payer Amount Paid Qualifier			Required if Other Payer Amount Paid (431-DV) is used.
431-DV	Other Payer Amount Paid			Required if other payer has approved payment for some/all of the billing. Required on all COB claims with Other Coverage Code of "2" or "4."

Coordination of Benefits/ Other Payments Segment Segment Identification (111-AM) = "05"		Scenario 1 - Other Payer Amount Paid Repetitions Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
471-5E	Other Payer Reject Count	Maximum count of 5.	RW	NEW! Required if Other Payer Reject Code (472-6E) is used.
472-6E	Other Payer Reject Code		RW	Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (308-C8) = "3" (Other Coverage Billed – claim not covered).

DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is situational.	X	Submitted if required to affect outcome of claim related to DUR intervention.

DUR/PPS Segment Segment Identification (111-AM) = "08"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS Code Counter	Maximum of 9 occurrences.	RW	Required if Drug Use Review/Professional Pharmacy Service (DUR/PPS) Segment is used.
439-E4	Reason for Service Code		RW	Required when needed to communicate DUR information.
440-E5	Professional Service Code		RW	Required when needed to communicate DUR information.

DUR/PPS Segment Segment Identification (111-AM) = "08"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
441-E6	Result of Service Code		RW	Required when needed to communicate DUR information.
474-8E	DUR/PPS Level of Effort		RW	Required when needed to communicate DUR information.

Compound Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is situational.	X	It is used for multi-ingredient prescriptions when each ingredient is reported.

Compound Segment Segment Identification (111-AM) = "10"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
450-EF	Compound Dosage Form Description Code		M	
451-EG	Compound Dispensing Unit Form Indicator		M	
447-EC	Compound Ingredient Component Count	Maximum 25 ingredients.	М	Medi-Cal supports up to 24 compound product IDs and 1 for the container count (25 Product IDs if a container count is included).
488-RE	Compound Product ID Qualifier	03 – NDC	М	

Compound Segment Segment Identification (111-AM) = "10"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
489-TE	Compound Product ID		M	When specifying the number of containers as an ingredient the NDC should be equal to 9999999997.
448-ED	Compound Ingredient Quantity		М	
449-EE	Compound Ingredient Drug Cost		М	Enter the ingredient drug cost (must be greater than \$0.00).
490-UE	Compound Ingredient Basis of Cost Determination		R	Required if needed for receiver claim/encounter adjudication. Submit "08" – 340B/Disproportionate Share Pricing/Public Health Service.

Clinical Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is situational.	X	Submitted if the clinical detail will affect the outcome of claims processing.

Clinical Segment Segment Identification (111-AM) = "13"		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	Diagnosis Code Count	Maximum count of 5.	RW	Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used.

Clinical Segment Segment Identification (111-AM) = "13"		Claim Billing/Claim Re-bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
492-WE	Diagnosis Code Qualifier	02= International Classification of Diseases (ICD-10 CM)	RW	Required if Diagnosis Code (424-DO) is used.
424-DO	Diagnosis Code		RW	Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this information can be used in place of prior authorization. Required if necessary for state/federal/regulatory agency programs.

**End of Request Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet Template **

1.2 B1/B3 – Claim Billing/Claim Re-Bill Response

1.2.1 Accepted/PAID or Duplicate of PAID

Start of Response Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Claim Billing or Claim Re-Bill response (Paid or Duplicate of Paid) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.0.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

Response Transaction Header Segment		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	M	
103-A3	Transaction Code	B1, B3	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	Sent if additional information is available from the payer/processor.

Response Message Segment Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
504-F4	Message		R	Required if text is needed for clarification or detail.	

Response Insurance Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	

Response Insurance Segment Segment Identification (111-AM) = "25"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
524-FO	Plan ID		RW	
301-C1	Group ID		RW	
302-C2	Cardholder ID		RW	

Response Patient Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	

Response Patient Segment Segment Identification (111-AM) = "29"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	Patient First Name		RW	Required if known.
311-CB	Patient Last Name		RW	Required if known.
304-C4	Date of Birth		RW	Required if known.

Response Status Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	Transaction Response Status	P = Paid D = Duplicate of Paid	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
547-5F	Approved Message Code Count	Maximum count of 5.	RW	Required if Approved Message Code (548-6F) is used.
548-6F	Approved Message Code		RW	Required if Approved Message Code Count (547-5F) is used.
130-UF	Additional Message Information Count	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

Response Claim Segment Segment Identification (111-AM) = "22"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/Service Reference Number		М	

Response Pricing Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

Segr	nse Pricing Segment nent Identification 111-AM) = "23"	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value Payer Usage		Payer Situation
505-F5	Patient Pay Amount		R	
506-F6	Ingredient Cost Paid		R	

Segr	nse Pricing Segment nent Identification 111-AM) = "23"	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
507-F7	Dispensing Fee Paid		RW	Required if this value is used to arrive at the final reimbursement.
521-FL	Incentive Amount Paid		RW	Required if Incentive Amount Submitted (438-E3) is greater than zero (0).
563-J2	Other Amount Paid Count	Maximum count of 3.	RW	Required if Other Amount Paid (565-J4) is used.
564-J3	Other Amount Paid Qualifier		RW	Required if Other Amount Paid (565-J4) is used.
565-J4	Other Amount Paid		RW	Required if Other Amount Claimed Submitted (480-H9) is greater than zero (0).
566-J5	Other Payer Amount Recognized		RW	Required if Other Payer Amount Paid (431-DV) is greater than zero (0) and Coordination of Benefits/Other Payments Segment is supported.
509-F9	Total Amount Paid		R	
522-FM	Basis of Reimbursement Determination		RW	Required if Ingredient Cost Paid (506-F6) is greater than zero (0). Required if Basis of Cost Determination (432-DN) is submitted on billing.
346-HH	Basis of Calculation- Dispensing Fee		RW	
347-HJ	Basis of Calculation- Copay		RW	
572-4U	Amount of Coinsurance		RW	
573-4V	Basis of Calculation- Coinsurance		RW	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	Sent when DUR intervention is encountered during claim processing.

Segr	se DUR/PPS Segment nent Identification 111-AM) = "24"	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS Response Code Counter	Maximum 9 occurrences supported.	RW	Required if Reason for Service Code (439-E4) is used.
439-E4	Reason for Service Code		RW	Required if utilization conflict is detected.
528-FS	Clinical Significance Code		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	Other Pharmacy Indicator		RW	Required if needed to supply additional information for the utilization conflict.
530-FU	Previous Date of Fill		RW	Required if Quantity of Previous Fill (531-FV) is used.
531-FV	Quantity of Previous Fill		RW	Required if Previous Date of Fill (530-FU) is used.
532-FW	Database Indicator		RW	Required if needed to supply additional information for the utilization conflict.
533-FX	Other Prescriber Indicator		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR Free Text Message		RW	Required if needed to supply additional information for the utilization conflict.
570-NS	DUR Additional Text		RW	Required if needed to supply additional information for the utilization conflict.

Response Coordination of Benefits/ Other Payers Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	Sent when Other Health Insurance (OHI) is encountered during claims processing.

Benefit	oonse Coordination of s/Other Payers Segment gment Identification (111-AM) = "28"	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	Other Payer ID Count	Maximum count of 3.	М	
338-5C	Other Payer Coverage Type		M	
339-6C	Other Payer ID Qualifier		RW	Required if Other Payer ID (340-7C) is used.
340-7C	Other Payer ID		RW	Required if other insurance information is available for coordination of benefits.
991- MH	Other Payer Processor Control Number		RW	Required if other insurance information is available for coordination of benefits.
356-NU	Other Payer Cardholder ID		RW	Required if other insurance information is available for coordination of benefits.
992-MJ	Other Payer Group ID		RW	Required if other insurance information is available for coordination of benefits.
142-UV	Other Payer Person Code		RW	Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	Other Payer Help Desk Phone Number		RW	Required if needed to provide a support telephone number of the other payer to the receiver.

Benefit	oonse Coordination of s/Other Payers Segment gment Identification (111-AM) = "28"			ng/Claim Re-Bill or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
143- UW	Other Payer Patient Relationship Code		RW	Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer.
144-UX	Other Payer Benefit Effective Date		RW	Required when other coverage is known which is after the Date of Service submitted.
145-UY	Other Payer Benefit Termination Date		RW	Required when other coverage is known which is after the Date of Service submitted.

1.2.2 Accepted/Rejected

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

	sponse Transaction Header Segment	Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B1, B3	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	

28

	sponse Transaction Header Segment	C		g/Claim Re-Bill ed/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is situational.	X	

Response Message Segment Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Insurance Segment Segment Identification (111-AM) = "25"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	Group ID		R	
524-FO	Plan ID		RW	
302-C2	Cardholder ID		RW	

Response Patient Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent.			
This Segment is situational.	X	Sent when known by plan.	

_	onse Patient Segment gment Identification (111-AM) = "29"	C		g/Claim Re-Bill ed/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	Patient First Name		RW	Required if known.
311-CB	Patient Last Name		RW	Required if known.
304-C4	Date of Birth		RW	Required if known.

Response Status Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Reject	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count	Maximum count 5.	R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count	Maximum count 25.	RW	Required if Additional Message Information (526-FQ) is used.

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.
987-MA	URL		RW	Provided for informational purposes only to relay health care communications via the Internet.

Response Claim Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Claim Segment Segment Identification (111-AM) = "22"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/ Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/ Service Reference Number		М	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is situational.	X	Sent when DUR intervention is encountered during claim adjudication.

Response DUR/PPS Segment Segment Identification (111-AM) = "24"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS Response Code Counter	Maximum 9 occurrences supported.	RW	Required if Reason for Service Code (439-E4) is used.
439-E4	Reason for Service Code		RW	Required if utilization conflict is detected.
528-FS	Clinical Significance Code		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	Other Pharmacy Indicator		RW	Required if needed to supply additional information for the utilization conflict.
530-FU	Previous Date of Fill		RW	Required if Quantity of Previous Fill (531-FV) is used.

Response DUR/PPS Segment Segment Identification (111-AM) = "24"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
531-FV	Quantity of Previous Fill		RW	Required if Previous Date of Fill (530-FU) is used.
532-FW	Database Indicator		RW	Required if needed to supply additional information for the utilization conflict.
533-FX	Other Prescriber Indicator		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR Free Text Message		RW	Required if needed to supply additional information for the utilization conflict.
570-NS	DUR Additional Text		RW	Required if needed to supply additional information for the utilization conflict.

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is situational.	X	Sent when Other Health Insurance (OHI) is encountered during claim processing.

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	Other Payer ID Count	Maximum count of 3.	М	

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
338-5C	Other Payer Coverage Type		М	
339-6C	Other Payer ID Qualifier		RW	Required if Other Payer ID (340-7C) is used.
340-7C	Other Payer ID		RW	Required if other insurance information is available for coordination of benefits.
991- MH	Other Payer Processor Control Number		RW	Required if other insurance information is available for coordination of benefits.
356-NU	Other Payer Cardholder ID		RW	Required if other insurance information is available for coordination of benefits.
992-MJ	Other Payer Group ID		RW	Required if other insurance information is available for coordination of benefits.
142-UV	Other Payer Person Code		RW	Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	Other Payer Help Desk Phone Number		RW	Required if needed to provide a support telephone number of the other payer to the receiver.
143- UW	Other Payer Patient Relationship Code		RW	Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer.
144-UX	Other Payer Benefit Effective Date		RW	Required when other coverage is known which is after the Date of Service submitted.

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"		C		g/Claim Re-Bill ed/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
145-UY	Other Payer Benefit Termination Date		RW	Required when other coverage is known which is after the Date of Service submitted.

1.2.3 Rejected/Rejected

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Transaction Header Segment		Claim Billing/Claim Re-Bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B1, B3	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	R = Rejected	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Questions	Check	Claim Billing/Claim Re-Bill Rejected/Rejected If Situational, Payer Situation
This Segment is situational.	X	

Response Message Segment Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-Bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Re-Bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Reject	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count	Maximum count 5.	R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

^{**}End of Response Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet Template **

2.0 NCPDP Version D.0 Claim Reversal Template

2.1 B2 – Claim Reversal Request

Start of Request Claim Reversal (B2) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent.	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is	X	
Payer Issued.		

Tran	saction Header Segment		Claim Reve	ersal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN NUMBER	022659	М	NEW!

Transaction Header Segment		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B2	М	
104-A4	Processor Control Number	6334225	М	NEW!
109-A9	Transaction Count		М	
202-B2	Service Provider ID Qualifier	01 = NPI	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	
110-AK	Software Vendor/ Certification ID	This will be provided by the provider's software vendor.	M	Required when vendor is certified with Magellan – otherwise submit all zeroes.

Insurance Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent.	X	

	nsurance Segment gment Identification (111-AM) = "04"	nt Identification Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	Cardholder ID		М	Submit CIN, HAP, or BIC.

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent.	X	

Claim Segment Segment Identification (111-AM) = "07"		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier		М	
402-D2	Prescription/Service Reference Number		М	
436-E1	Product/Service ID Qualifier	00 = Not specified 03 = National Drug Code (NDC)	М	00 = Compound 03 = NDC, Medical Supplies and Enteral Nutrition
407-D7	Product/Service ID		М	
403-D3	Fill Number	0 = Original Dispensing 1–99 = Number of refills	RW	Required if needed for reversals when multiple fills of the same Prescription/ Service Reference Number (402-D2) occur on the same day.
308-C8	Other Coverage Code		RW	NEW! Required if needed by receiver to match the claim that is being reversed.

Pricing Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is not sent.	X	

Coordination of Benefits/ Other Payments Segment Segment Identification (111-AM) = "05"			Claim F	Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	Coordination of Benefits/ Other Payments Count	Maximum count of 9.	М	NEW!

Ot	ordination of Benefits/ her Payments Segment egment Identification (111-AM) = "05"		Claim F	Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
338-5C	Other Payer Coverage Type		М	NEW!

End of Request Claim Reversal (B2) Payer Sheet Template

2.2 B2 – Claim Reversal Response

** Start of Claim Reversal Response (B2) Payer Sheet Template**

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

2.2.1 Accepted/Approved

The following lists the segments and fields in a Claim Reversal response (Approved)
Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.0.

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent.	X	

Response Transaction Header Segment		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B2	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	01= NPI	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	

Response Message Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

	onse Message Segment gment Identification (111-AM) = "20"	Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Reversal – Accepted/Approved			
Field #	NCPDP Field Name	Value	Value Payer S Usage Payer S		
112-AN	Transaction Response Status	A = Approved	М		
503-F3	Authorization Number		RW	Required if needed to identify the transaction.	
547-5F	Approved Message Code Count	Maximum count of 5.	RW	Required if Approved Message Code (548-6F) is used.	
548-6F	Approved Message Code		RW	Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.	
130-UF	Additional Message Information Count	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent.	Χ	

Response Claim Segment Segment Identification (111-AM) = "22"		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/Service Reference Number		М	

Response Pricing Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	X	Sent if reversal results in generation of pricing detail.

	onse Pricing Segment gment Identification (111-AM) = "23"	Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
521-FL	Incentive Amount Paid		RW	Required if this field is reporting a contractually agreed upon payment. Represents compound sterilization fee.
509-F9	Total Amount Paid		RW	Required if any other payment fields sent by the sender.

2.2.2 Accepted/Rejected

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

	Response Transaction Header Segment	Claim Re	versal – Acc	cepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B2	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	01 = NPI	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	

Response Message Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is situational.	X	

-	onse Message Segment gment Identification (111-AM) = "20"	Claim Reversal – Accepted/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
504-F4	Message		RW	Required if text is needed for clarification or detail.	

Response Status Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Value Payer Payer Situation	
112-AN	Transaction Response Status	R = Reject	M	
503-F3	Authorization Number		R	
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

	oonse Claim Segment gment Identification (111-AM) = "22"	Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier	1 = Rx Billing	M	
402-D2	Prescription/Service Reference Number		М	

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is situational.	X	

Coordi	nation of Benefits/Other Payments Segment Segment Identification (111-AM) = "05"	Claims Reversal		eversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	Coordination of Benefits/Other Payments Count		M	
338-5C	Other Payer Coverage Type		М	

2.2.3 Rejected/Rejected

Response Transaction Header Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

F	Response Transaction Header Segment	Claim Reversal – Rejected/Rejected		Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B2	М	
109-A9	Transaction Count	1 = One Occurrence	М	

Response Transaction Header Segment		Claim Reversal – Rejected/Rejected		Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
501-F1	Header Response Status	R = Rejected	М	
202-B2	Service Provider ID Qualifier	01 = NPI	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is situational.	X	

•	oonse Message Segment egment Identification (111-AM) = "20"	Claim Reversal – Rejected/Rejected			
Field #	NCPDP Field Name	Value Payer Payer Situation			
504-F4	Message		RW	Required if text is needed for clarification or detail.	

Response Status Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Reversal – Rejected/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
112-AN	Transaction Response Status	R = Reject	М		
503-F3	Authorization Number		R		
510-FA	Reject Count		R		
511-FB	Reject Code		R		

	oonse Status Segment gment Identification (111-AM) = "21"	Clain	n Reversal ·	– Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

End of Claim Reversal (B2) Response Payer Sheet Template

3.0 NCPDP Version D.0 Prior Authorization Reversal Template

3.1 P2 – Prior Authorization Reversal Request

Start of Request Prior Authorization Reversal (P2) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Prior Authorization Reversal Request Transaction for NCPDP Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Segment Question	Check	Prior Authorization Reversal
This segment is always sent.	X	
Source of certification IDs required in Software	X	
Vendor/Certification ID is Payer issued.		

Transaction Header Segment		Prior Authorization Reversal			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
101-A1	BIN Number	022659	М	NEW!	
102-A2	Version/Release Number	D0	М		
103-A3	Transaction Code	P2	М		
104-A4	Processor Control Number	6334225	М	NEW!	
109-A9	Transaction Count	1	М		
202-B2	Service Provider ID Qualifier	01 = NPI	М		
201-B1	Service Provider ID		М		
401-D1	Date of Service		М		
110-AK	Software Vendor/ Certification ID	This will be provided by the provider's software vendor.	M	Required when vendor is certified with Magellan – otherwise submit all zeroes.	

	Authorization Segment gment Identification (111-AM) = "12"	Prior Authorization Reversal			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
498-PA	Request Type		М		
498-PB	Request Period Date Begin		М		
498-PC	Request Period Date End		М		
498-PD	Basis of Request		М		
498-PY	Prior Authorization Number Assigned		RW	Required if known to sender; otherwise send Authorization Number (503-F3). Payer Requirement: Not Used.	
503-F3	Authorization Number		RW	Required if PA Number- Assigned (498-PY) is not known.	

End of Request Prior Authorization Reversal (P2) Payer Sheet Template

3.2 P2 – Prior Authorization Reversal Response

3.2.1 Accepted/Approved or Captured

Start of Response Prior Authorization Reversal (P2) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

Response Transaction Header Question	Check	Prior Authorization Reversal Accepted/Captured
This Segment is always sent.	X	

Response Transaction Header Segment		Prior Authorization Reversal Accepted/Captured		
Field #	NCPDP Field Name	Value Payer Payer		Payer Situation
102-A2	Version/Release Number	D0	М	

Response Transaction Header Segment		Prior Authorization Reversal Accepted/Captured		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
103-A3	Transaction Code	P2	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Reversal Accepted/Captured
This segment is always sent.		
This segment is situational.	X	Provide general information when used for transmission-level messaging.

_	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization Reversal Accepted/Captured		
Field #	NCPDP Field Name	Value	Payer Situation	
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Reversal Accepted/Captured		
This segment is always sent.	X			

Response Status Segment Segment Identification (111-AM) = "21"		Prior Authorization Reversal Accepted/Captured		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	A = Accepted C = Captured	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

3.2.2 Accepted/Rejected

Response Transaction Header Question	Check	Prior Authorization Reversal Accepted/Rejected
This segment is always sent.	X	

	sponse Transaction Header Segment	Prior Authorization Reversal Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	P2	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Reversal Accepted/Rejected
This segment is always sent.		
This segment is situational.	X	Provide general information when used for transmission-level messaging.

•	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization Reversal Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Reversal Accepted/Rejected
This segment is always sent.	X	

_	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Reversal Accepted/Rejected		
Field #	NCPDP Field Name	Values Payer Payer Situation		
112-AN	Transaction Response Status	R = Rejected	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

3.2.3 Rejected/Rejected

Response Transaction Header Question	Check	Prior Authorization Reversal Rejected/Rejected
This segment is always sent.	X	

Response Transaction Header Segment		Prior Authorization Reversal Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	P2	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	R = Rejected	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Reversal Rejected/Rejected
This segment is always sent.		
This segment is situational.	X	Provide general information when used for transmission-level messaging.

•	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization Reversal Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Reversal Rejected/Rejected
This segment is always sent.	X	

-	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Reversal Rejected/Rejected		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Rejected	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

End of Response Prior Authorization Reversal (P2) Payer Sheet Template

4.0 NCPDP Version D.0 Prior Authorization Inquiry Template

4.1 P3 – Prior Authorization Inquiry Request

Start of Request Prior Authorization Inquiry (P3) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Request Prior Authorization Reversal Transaction for NCPDP Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Segment Question	Check	Prior Authorization Inquiry
This segment is always sent.	X	
Source of certification IDs required in Software	X	
Vendor/Certification ID is Payer issued.		

Transa	action Header Segment	Prior Authorization Inquiry		ation Inquiry
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN Number	022659	М	NEW!
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	Р3	М	
104-A4	Processor Control Number	6334225	М	NEW!
109-A9	Transaction Count	1	М	
202-B2	Service Provider ID Qualifier	01 = NPI	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	
110-AK	Software Vendor/ Certification ID	This will be provided by the provider's software vendor.	M	Required when vendor is certified with Magellan – otherwise submit all zeroes.

Insurance Segment Question	Check	Prior Authorization Inquiry
This segment is always sent.	X	

Seg	nsurance Segment gment Identification (111-AM) = "004"	Prior Authorization Inquiry		rization Inquiry
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	Cardholder ID		М	Submit CIN, HAP, or BIC.

Prior Authorization Segment Question	Check	Prior Authorization Inquiry
This Segment is always sent.	X	

	Authorization Segment gment Identification (111-AM) = "12"	P	rior Autho	rization Inquiry
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PA	Request Type		М	
498-PB	Request Period Date Begin		М	
498-PC	Request Period Date End		М	
498-PD	Basis of Request		М	
498-PY	Prior Authorization Number Assigned		RW	Required if known to sender; otherwise send Authorization Number (503-F3).
503-F3	Authorization Number		RW	Required if Prior Authorization Number- Assigned (498-PY) is not known. Payer Requirement: This field is required to process the transaction.

4.2 P3 – Prior Authorization Inquiry Response

4.2.1 Accepted/Captured

Start of Response Prior Authorization Inquiry (P3) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

Response Transaction Header Question	Check	Prior Authorization Inquiry Accepted/Captured
This Segment is always sent.	X	

	sponse Transaction Header Segment		r Authorizat Accepted/Ca	• •
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	Р3	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Inquiry Accepted/Captured
This Segment is always sent.		
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

•	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization Inquiry Accepted/Captured		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Inquiry Accepted/Captured
This Segment is always sent.	X	

-	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Inquiry Accepted/Captured		
Field #	NCPDP Field Name	Values	Payer Usage	Payer situation
112-AN	Transaction Response Status	C = Captured	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.

•	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Inquiry Accepted/Captured		• •
Field #	NCPDP Field Name	Values	Payer Usage	Payer situation
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

4.2.2 Accepted/Approved

Response Transaction Header Question	Check	Prior Authorization Inquiry Accepted/Approved
This Segment is always sent.	X	

	sponse Transaction Header Segment	Prior Authorization Inquiry Accepted/Approved		• •
Field #	NCPDP Field Name	Value	Payer Usage	Payer situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	Р3	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Inquiry Accepted/Approved
This Segment is always sent.		
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

•	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization Inquiry Accepted/ Approved		· 1
Field #	NCPDP Field Name	Value	Payer Usage	Payer situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Inquiry Accepted/Approved
This Segment is always sent.	X	

-	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Inquiry Accepted/Approved		· ·
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	A = Approved	М	
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.

Response Claim Segment Question	Check	Prior Authorization Inquiry Accepted/Approved
This Segment is always sent.	X	

•	oonse Claim Segment gment Identification (111-AM) = "22"		Authoriza ccepted/A	tion Inquiry pproved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/ Service Reference Number Qualifier	1 = Rx Billing	M	
402-D2	Prescription/ Service Reference Number		М	

Response Prior Authorization Segment Question	Check	Prior Authorization Inquiry Accepted/Approved
This Segment is always sent.	X	

Response Prior Authorization Segment Segment Identification (111-AM) = "26"		Prior Authorization Inquiry Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PR	Prior Authorization Processed Date		R	
498-PS	Prior Authorization Effective Date		RW	Required if the PA has an effective date.
498-PT	Prior Authorization Expiration Date		RW	Required if the PA has an expiration date.
498-RA	Prior Authorization Quantity		RW	Required if the total quantity authorized is greater than zero.
498-RB	Prior Authorization Dollars Authorized		RW	Required if the total dollars authorized is greater than zero.
498-PW	Prior Authorization Number of Refills Authorized		RW	Required if a specific number of refills is authorized.
498-PY	Prior Authorization Number Assigned		RW	Required if the receiver's system assigns this number.

4.2.3 Accepted/Deferred

Response Transaction Header Question	Check	Prior Authorization Inquiry Accepted/Deferred
This Segment is always sent.	X	

Response Transaction Header Segment		Prior Authorization Inquiry Accepted/Deferred		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	Р3	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Inquiry Accepted/Deferred
This Segment is always sent.		
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

_	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization Inquiry Accepted/Deferred		• •
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Inquiry Accepted/Deferred
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Prior Authorization Inquiry Accepted/Deferred		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	F = Deferred	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Question	Check	Prior Authorization Inquiry Accepted/Deferred
This Segment is always sent.	X	

Response Claim Segment Segment Identification (111-AM) = "22"		Prior Authorization Inquiry Accepted/Deferred		• •
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/ Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/ Service Reference Number		М	

Response Prior Authorization Segment Question	Check	Prior Authorization Inquiry Accepted/Deferred
This Segment is situational.	X	

Response Prior Authorization Segment Segment Identification (111-AM) = "26"		Prior Authorization Inquiry Accepted/Deferred		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PR	Prior Authorization Processed Date		R	

4.2.4 Accepted/Rejected

Response Transaction Header Question	Check	Prior Authorization Inquiry Accepted/Rejected			
This Segment is always sent.	X				

Response Transaction Header Segment		Prior Authorization Inquiry Accepted/Rejected		
Field #	NCPDP Field Name	Value Payer Payer Situation		
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	P3	М	
109-A9	Transaction Count	Same value as in request.	М	

Response Transaction Header Segment		Prior Authorization Inquiry Accepted/Rejected		
Field #	NCPDP Field Name	Value Payer Payer Situatio		
51-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Inquiry Accepted/Rejected
This Segment is always sent.		
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

•	onse Message Segment gment Identification (111-AM) = "20"			rization Inquiry ed/Rejected	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
504-F4	Message		RW	Required if text is needed for clarification or detail.	

Response Status Segment Question	Check	Prior Authorization Inquiry Accepted/Rejected	
This Segment is always sent.	X		

	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Inquiry Accepted/Rejected		• •
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Rejected	М	

_	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Inquiry Accepted/Rejected		• •
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		R	
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Question	Check	Prior Authorization Inquiry Accepted/Rejected
This Segment is always sent.	X	

Response Claim Segment Segment Identification (111-AM) = "22"		Prior Authorization Inquiry Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/ Service Reference Number Qualifier	1 = Rx Billing	M	
402-D2	Prescription/ Service Reference Number		М	

4.2.5 Rejected/Rejected

Response Transaction Header Question	Check	Prior Authorization Inquiry Rejected/Rejected
This Segment is always sent.	X	

Response Transaction Header Segment		Prior Authorization Inquiry Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Situation	
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	Р3	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	R = Rejected	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Inquiry Rejected/Rejected
This Segment is always sent.		
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

-	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization II Rejected/Rejecte		• •
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Inquiry Rejected/Rejected
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Prior Authorization Inquiry Rejected/Rejected		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Rejected	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		R	
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.

Response Status Segment Segment Identification (111-AM) = "21"		Prior Authorization Inquiry Rejected/Rejected		
Field #	NCPDP Field Name	Values Payer Payer Situation		
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

End of Response Prior Authorization Inquiry (P3) Payer Sheet Template

5.0 NCPDP Version D.0 Prior Authorization Request Only Template

5.1 P4 – Prior Authorization Request Only Request

Start of Request Prior Authorization Request Only (P4) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Request Prior Authorization Request Only transaction for NCPDP Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Segment Question	Check	Prior Authorization Request Only
This Segment is always sent.	X	
Source of certification IDs required in Software Vendor/ Certification ID is Payer issued.	X	

Transaction Header Segment		Prior Authorization Request Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN Number	022659	М	NEW!
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	P4	М	

Transaction Header Segment		Prior Authorization Request Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
104-A4	Processor Control Number	6334225	М	NEW!
109-A9	Transaction Count	1	М	
202-B2	Service Provider ID Qualifier	01 = NPI	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	
110-AK	Software Vendor/ Certification ID	This will be provided by the provider's software vendor.	М	Required when vendor is certified with Magellan – otherwise submit all zeroes.

Insurance Segment Question	Check	Prior Authorization Request Only
This Segment is always sent.	X	

Insurance Segment Segment Identification (111-AM) = "04"		Prior Authorization Request Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	Cardholder ID		М	Submit CIN, HAP, or BIC.
306-C6	Patient Relationship Code	1 = Cardholder 3 = Child 4 = Other (use for Transplant Donor)	RW	Required to submit "3" when submitting newborn claims using Mom's Medi- Cal Cardholder ID. Required to submit "4" when submitting claims for a transplant donor, when using transplant recipient's Medi-Cal Cardholder ID.

Patient Segment Question	Check	Prior Authorization Request Only
This Segment is always sent.	X	
This Segment is Situational.		

Patient Segment Segment Identification (111-AM) = "01"		Prior Authorization Request Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	Date of Birth		R	
305-C5	Patient Gender Code		RW	Required if additional verification of the submitted eligibility information is needed.
310-CA	Patient First Name		R	
311-CB	Patient Last Name		R	
307-C7	Place of Service		RW	Required if this field could result in different coverage, pricing, or patient financial responsibility. Please submit NCPDP field 384-4X Patient Residence to identify Long Term Care.
384-4X	Patient Residence	3 = Nursing Facility 9 = Intermediate Care Facility/Individual s with Intellectual Disabilities	RW	NEW! Required if this field could result in different coverage, pricing, or patient financial responsibility. Required for Long Term Care.

Claim Segment Question	Check	Prior Authorization Request Only
This Segment is always sent.	X	

Claim Segment Segment Identification (111-AM) = "07"		Prior Authorization Request Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/ Service Reference Number Qualifier	1 = Rx Billing	М	

Segr	Claim Segment nent Identification 111-AM) = "07"	Prior Authorization Request Only		ion Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
402-D2	Prescription/ Service Reference Number		М	
436-E1	Product/Service ID Qualifier	00 = Not specified 03 = NDC	М	00 = Compound 03 = NDC, Medical Supplies and Enteral Nutrition
407-D7	Product/Service ID		М	
442-E7	Quantity Dispensed		R	
460-ET	Quantity Prescribed		RW	Required when a transmission is for a Scheduled II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 09/21/2020. Refer to the Version D.0 Editorial Document).
405-D5	Days' Supply		R	
406-D6	Compound Code	1 = Not Compound 2 = Compound	RW	Required if requesting a prior authorization for a compound (Compound Code (406-D6) = 2).
408-D8	Dispense as Written (DAW)/Product Selection Code	0 = No Product Selection Indicated 1 = Substitution Not Allowed by Prescriber 9 = Substitution Allowed by Prescriber – Plan Requests Brand	RW	Enter '1' to identify when the brand drug/product is medically necessary as indicated by the prescriber.
415-DF	Number of Refills Authorized		R	
995-E2	Route of Administration		RW	Required for multi- ingredient compounds.

Prior Authorization Segment Question	Check	Prior Authorization Request Only
This Segment is always sent.	X	

	Authorization Segment gment Identification (111-AM) = "12"	Prior <i>I</i>	Authorizatio	n Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PA	Request Type		М	
498-PB	Request Period Date Begin		М	
498-PC	Request Period Date End		М	
498-PD	Basis of Request		М	
498-PE	Authorized Representative First Name		RW	Required if needed for prior authorization determination.
498-PF	Authorized Representative Last Name		RW	Required if needed for prior authorization determination.
498-PG	Authorized Representative Street Address		RW	Required if needed for prior authorization determination.
498-PH	Authorized Representative City Address		RW	Required if needed for prior authorization determination.
498-PJ	Authorized Representative State/Province Address		RW	Required if needed for prior authorization determination.
498-PK	Authorized Representative Zip/Postal Zone		RW	Required if needed for prior authorization determination.
498-PY	Prior Authorization Number Assigned		RW	Required if known to sender. Payer Requirement: Required on a reauthorization.

Prior Authorization Segment Segment Identification (111-AM) = "12"		Prior Authorization Request Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PP	Prior Authorization Supporting Documentation		RW	Required if additional information is needed for prior authorization determination.

Prescriber Segment Question	Check	Prior Authorization Request Only
This Segment is situational.	X	

Prescriber Segment Segment Identification (111-AM) = "03"		Prior Au	thorizatio	n Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	Prescriber ID Qualifier	01= NPI	RW	Required if Prescriber ID (411-DB) is used.
411-DB	Prescriber ID		RW	Required if this field could result in different coverage or patient financial responsibility.
427-DR	Prescriber Last Name		RW	Required if known.
498-PM	Prescriber Phone Number		RW	Required if known.

Compound Segment Question	Check	Prior Authorization Request Only
This Segment is always sent.		
This Segment is situational.	X	Required for submitting compound drug.

	ompound Segment gment Identification (111-AM) = "10"	Prior Au	ıthorizatio	on Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
450-EF	Compound Dosage Form Description Code		М	
451-EG	Compound Dispensing Unit Form Indicator		М	
447-EC	Compound Ingredient Component Count	Maximum count of 25 ingredients.	M	Medi-Cal supports up to 24 compound product IDs and 1 for the container count (25 Product IDs if a container count is included).
488-RE	Compound Product ID Qualifier	03 – NDC	М	
489-TE	Compound Product ID		M	When specifying the number of containers as an ingredient, the NDC should be equal to 99999999999999999999999999999999999
448-ED	Compound Ingredient Quantity		М	

Clinical Segment Question	Check	Prior Authorization Request Only
This Segment is always sent.		
This Segment is situational.	X	Please see <i>Medi-Cal Rx Provider Manual</i> for diagnosis code submission requirements.

Segn	linical Segment nent Identification 111-AM) = "13"	Prid	or Authori	zation Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	Diagnosis Code Count	Maximum count of 5.	RW	Required if Diagnosis Code Qualifier (492-WE) and

Clinical Segment Segment Identification (111-AM) = "13"		Prior Authorization Request Only		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Diagnosis Code (424-DO) are used.
492-WE	Diagnosis Code Qualifier	02= International Classification of Diseases (ICD-10 CM)	RW	Required if Diagnosis Code (424-DO) is used.
424-DO	Diagnosis Code		R	Required to be submitted.
493-XE	Clinical Information Counter		RW	Maximum of 5 occurrences supported.
496-H2	Measurement Dimension	14 = Height 16 = Weight	RW	Required if Measurement Unit (497-H3) and Measurement Value (499-H4) is used. Required, if necessary, when this field could result in different coverage and/or drug utilization review outcome and is a requirement for authorization. Payer Requirement: Must be present with counter value found in field 493-XE.
497-H3	Measurement Unit	01 = Inches 03 = Pounds	RW	Required if Measurement Dimension (496-H2) and Measurement Value (499-H4) are used. Required, if necessary, when this field could result in different coverage and/or drug utilization review outcome and is a requirement for authorization. Payer Requirement: Must be present with counter value found in field 493-XE.

Segr	linical Segment nent Identification 111-AM) = "13"	Prior Authorization Request Only		zation Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
499-H4	Measurement Value		RW	Required if Measurement Dimension (496-H2) and Measurement Unit (497-H3) are used. Required, if necessary, when this field could result in different coverage and/or drug utilization review outcome and is a requirement for authorization.

End of Request Prior Authorization Request Only (P4) Payer Sheet Template

5.2 P4 – Prior Authorization Request Only Response

5.2.1 Accepted/Captured

Start of Response Prior Authorization Request Only (P4) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

Response Transaction Header Question	Check	Prior Authorization Request Only Accepted/Captured		
This Segment is always sent.	Χ			

	sponse Transaction Header Segment		Prior Authorization Request Only Accepted/Captured	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	P4	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	

	sponse Transaction Header Segment			n Request Only Captured
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Request Only Accepted/Captured
This Segment is always sent.		
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

	onse Message Segment gment Identification (111-AM) = "20"	Prior	Prior Authorization Request Only Accepted/Captured	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Request Only Accepted/Captured
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Prior Authorization Request Only Accepted/Captured		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	C = Captured	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.

Response Status Segment Segment Identification (111-AM) = "21"		Prior Authorization Request Only Accepted/Captured		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Question	Check	Prior Authorization Request Only Accepted/Captured
This Segment is always sent.	X	

Response Claim Segment Segment Identification (111-AM) = "22"		Prior Authorization Request Only Accepted/Captured		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/ Service Reference Number		М	

5.2.2 Accepted/Rejected

Response Transaction Header Question	Check	Prior Authorization Request Only Accepted/Rejected
This Segment is always sent.	X	

Response Transaction Header Segment		Prior Authorization Request Only Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	P4	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Prior Authorization Request Only Accepted/Rejected
This Segment is always sent.		
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

Response Message Segment Segment Identification (111-AM) = "20"		Prior Authorization Request Only Accepted/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage Payer Situation		
504-F4	Message		RW	Required if text is needed for clarification or detail.	

Response Status Segment Question	Check	Prior Authorization Request Only Accepted/Rejected
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Prior Authorization Request Only Accepted/Rejected		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Rejected	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		R	
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Question	Check	Prior Authorization Request Only Accepted/Rejected
This Segment is always sent.	X	

Response Claim Segment Segment Identification (111-AM) = "22"		Prior Authorization Request Only Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/ Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/ Service Reference Number		М	

5.2.3 Rejected/Rejected

Response Transaction Header Question	Check	Prior Authorization Request Only Rejected/Rejected
This Segment is always sent.	X	

Response Transaction Header Segment		Prior Authorization Request Only Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	P4	М	
109-A9	Transaction Count	Same value as in request.	M	
501-F1	Header Response Status	R = Rejected	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	M	
201-B1	Service Provider ID	Same value as in request.	M	
401-D1	Date of Service	Same value as in request.	M	

Response Message Segment Question	Check	Prior Authorization Request Only Rejected/Rejected
This Segment is always sent.		

Response Message Segment Question	Check	Prior Authorization Request Only Rejected/Rejected
This Segment is situational.	X	Provide general information when used for transmission-level messaging.

•	onse Message Segment gment Identification (111-AM) = "20"	Prior Authorization Request Only Rejected/Rejected		•
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Prior Authorization Request Only Rejected/Rejected
This Segment is always sent.	X	

•	oonse Status Segment gment Identification (111-AM) = "21"	Prio	Prior Authorization Request Only Rejected/Rejected	
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Rejected	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		R	
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.

	oonse Status Segment gment Identification (111-AM) = "21"	Prior Authorization Request Only Rejected/Rejected		• • •
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

End of Response Prior Authorization Request Only (P4) Payer Sheet Template

6.0 NCPDP Version D.0 Drug Price Inquiry

6.1 B1 – Drug Price Inquiry Request

Start of Request Drug Price Inquiry Using Claim Billing (B1) Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Claim Billing or Claim Re-Bill Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.0.

The drug pricing inquiry in Medi-Cal Rx is intended to facilitate cash pricing when filling a prescription for a Medicare patient. Under California law (SB 393), pharmacies may charge a Medicare patient no more than Medi-Cal Rx's payment, plus a small (15 cent) processing fee when the patient must pay cash. In the pricing inquiry, Medi-Cal Rx will return the allowable payment (ingredient cost + dispensing fee), plus the 15 cent processing fee.

NOTE: NCPDP Standard Request segments will be required and NCPDP Standard Response segments will be returned to follow NCPDP guidance for B1 transactions.

Transaction Header Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is always sent.	Χ	
Source of certification IDs required in Software Vendor/Certification ID	X	
(110-AK) is Payer Issued.		

Transa	ction Header Segment	Drug Price Inquiry (Using Claim Billing)		/ (Using Claim Billing)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN Number	022667	М	NEW!
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B1	М	
104-A4	Processor Control Number	393	М	NEW!
109-A9	Transaction Count		М	
202-B2	Service Provider ID Qualifier	01 = National Provider Identifier (NPI)	М	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	

Transa	ction Header Segment	Drug Price Inquiry		(Using Claim Billing)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
110-AK	Software Vendor/ Certification ID		M	Required when vendor is certified with Magellan – otherwise submit all zeroes.

Insurance Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is always sent	Χ	

Segr	surance Segment ment Identification 111-AM) = "04"	Drug Price Inquiry (Using Claim Billing)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	Cardholder ID	'999999999'	М	Only 999999999 accepted.
301-C1	Group ID	MediCalRx	R	

Patient Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
Not sent for drug pricing inquiry.	X	

Claim Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is always sent.	Χ	
This plan does not support partial fills.	Χ	

Claim Segment Segment Identification (111-AM) = "07"		Drug Price Inquiry (Using Claim Billing)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier	1= Rx Billing	M	
402-D2	Prescription/Service Reference Number		М	

Claim Segment Segment Identification (111-AM) = "07"		Drug Price Inquiry (Using Claim Billing)			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
436-E1	Product/Service ID Qualifier	00 = Not specified 03 = National Drug Code (NDC)	M		
407-D7	Product/Service ID		M	NDC for non-compound claims "0" for compound claims.	
442-E7	Quantity Dispensed		R		
460-ET	Quantity Prescribed		RW	NEW! Required when a transmission is for a Scheduled II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 09/21/2020. Refer to the Version D.0 Editorial Document).	
403-D3	Fill Number		R		
405-D5	Days' Supply		R		
406-D6	Compound Code		R		
408-D8	Dispense as Written (DAW)/Product Selection Code	0 = No Product Selection Indicated 1 = Substitution Not Allowed by Prescriber 9 = Substitution Allowed by Prescriber - Plan Requests Brand	R	Enter '1' to identify when the brand drug/product is medically necessary as indicated by the prescriber.	
414-DE	Date Prescription Written	'	R		

Pricing Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is always sent.	X	

Pricing Segment Segment Identification (111-AM) = "11"		Drug Price Inquiry (Using Claim Billing)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	Ingredient Cost Submitted		R	
412-DC	Dispensing Fee Submitted		RW	NEW! Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
433-DX	Patient Paid Amount Submitted		RW	NOT REQUIRED; DO NOT SEND.
430-DU	Gross Amount Due		R	

Provider Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation	
This Segment is not sent.	X		

Prescriber Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is always sent.		
Not sent for drug price inquiry (using claim billing).	X	

Coordination of Benefits/ Other Payments Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is situational.	X	Required only for secondary, tertiary, etc. claims.
Not sent for drug price inquiry (using claim billing).	X	

DUR/PPS Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is situational.	X	Submitted if required to affect outcome of claim related to DUR intervention.
Not sent for drug price inquiry (using claim billing).	Х	

Compound Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is situational.	X	It is used for multi-ingredient prescriptions when each ingredient is reported.
Not sent for drug price inquiry (using claim billing).	Х	

Clinical Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) If Situational, Payer Situation
This Segment is situational.	X	Submitted if the clinical detail will affect the outcome of claims processing.
Not sent for drug price inquiry (using claim billing).	X	

End of Request Drug Price Inquiry (Using Claim Billing) Template

6.2 B1 – Drug Price Inquiry Response

6.2.1 Accepted/PAID or Duplicate of PAID

Start of Response Drug Price Inquiry (Using Claim Billing) Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Claim Billing response (Paid or Duplicate of Paid) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.O.

The drug pricing inquiry in Medi-Cal Rx was intended to facilitate cash pricing when filling a prescription for a Medicare patient. Under California law (SB 393), pharmacies may charge a Medicare patient no more than Medi-Cal Rx's payment, plus a small (15 cent) processing fee when the patient must pay cash. In the pricing inquiry, Medi-Cal Rx will return the allowable payment (ingredient cost + dispensing fee), plus the 15 cent processing fee.

NOTE: NCPDP Standard Request segments will be required and NCPDP Standard Response segments will be returned to follow NCPDP guidance for B1 transactions.

Response Transaction Header Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

Response Transaction Header Segment		Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B1	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

92

04/01/2022

Response Message Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	Sent if additional information is available from the payer/processor.

	onse Message Segment gment Identification (111-AM) = "20"	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	Message		R	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	

•	nse Insurance Segment gment Identification (111-AM) = "25"		ice Inquiry (Using Claim Billing) ed/Paid (or Duplicate of Paid)	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
524-FO	Plan ID		RW	
301-C1	Group ID		RW	
302-C2	Cardholder ID		RW	

Response Patient Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	Χ	

Segn	nse Patient Segment nent Identification 111-AM) = "29"	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value Payer Payer Situation		Payer Situation
310-CA	Patient First Name		RW	Required if known.
311-CB	Patient Last Name		RW	Required if known.
304-C4	Date of Birth		RW	Required if known.

Response Status Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

-	oonse Status Segment gment Identification (111-AM) = "21"	Drug Price Inquiry (Using Cl Accepted/Paid (or Duplica		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	Transaction Response Status	P = Paid D = Duplicate of Paid	М	NEW!
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
547-5F	Approved Message Code Count	Maximum count of 5.	RW	Required if Approved Message Code (548-6F) is used.
548-6F	Approved Message Code		RW	Required if Approved Message Code Count (547-5F) is used.
130-UF	Additional Message Information Count	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.

	oonse Status Segment gment Identification (111-AM) = "21"	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

	sponse Claim Segment egment Identification (111-AM) = "22"		•	Using Claim Billing) Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/Service Reference Number		М	

Response Pricing Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

_	oonse Pricing Segment gment Identification (111-AM) = "23"			y (Using Claim Billing) or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	Patient Pay Amount		R	
506-F6	Ingredient Cost Paid		R	
507-F7	Dispensing Fee Paid		RW	Required if this value is used to arrive at the final reimbursement.
521-FL	Incentive Amount Paid		RW	Required if Incentive Amount Submitted (438-E3) is greater than zero (0).
563-J2	Other Amount Paid Count	Maximum count of 3.	RW	Required if Other Amount Paid (565-J4) is used.
564-J3	Other Amount Paid Qualifier		RW	Required if Other Amount Paid (565J4) is used.
565-J4	Other Amount Paid		RW	Required if Other Amount Claimed Submitted (480-H9) is greater than zero (0).
566-J5	Other Payer Amount Recognized		RW	Required if Other Payer Amount Paid (431-DV) is greater than zero (0) and Coordination of Benefits/Other Payments Segment is supported.
509-F9	Total Amount Paid		R	
522-FM	Basis of Reimbursement Determination		RW	Required if Ingredient Cost Paid (506-F6) is greater than zero (0). Required if Basis of Cost Determination (432-DN) is submitted on billing.
346-HH	Basis of Calculation- Dispensing Fee		RW	
347-HJ	Basis of Calculation- Copay		RW	
572-4U	Amount of Coinsurance		RW	

-	onse Pricing Segment gment Identification (111-AM) = "23"		ice Inquiry (Using Claim Billing) red/Paid (or Duplicate of Paid)	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
573-4V	Basis of Calculation - Coinsurance		RW	

Response DUR/PPS Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	Sent when DUR intervention is encountered during claim processing.

Response DUR/PPS Segment Segment Identification (111-AM) = "24"		Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS Response Code Counter	Maximum 9 occurrences supported.	RW	Required if Reason for Service Code (439-E4) is used.
439-E4	Reason for Service Code		RW	Required if utilization conflict is detected.
528-FS	Clinical Significance Code		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	Other Pharmacy Indicator		RW	Required if needed to supply additional information for the utilization conflict.
530-FU	Previous Date of Fill		RW	Required if Quantity of Previous Fill (531-FV) is used.
531-FV	Quantity of Previous Fill		RW	Required if Previous Date of Fill (530-FU) is used.

Response DUR/PPS Segment Segment Identification (111-AM) = "24"		Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
532-FW	Database Indicator		RW	Required if needed to supply additional information for the utilization conflict.
533-FX	Other Prescriber Indicator		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR Free Text Message		RW	Required if needed to supply additional information for the utilization conflict.
570-NS	DUR Additional Text		RW	Required if needed to supply additional information for the utilization conflict.

Response Coordination of Benefits/Other Payers Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is situational.	X	Sent when Other Health Insurance (OHI) is encountered during claims processing.

Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"		Drug Price Inquiry (Using Claim Billing) Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	Other Payer ID Count	Maximum count of 3.	М	
338-5C	Other Payer Coverage Type		М	

•	oonse Coordination of s/Other Payers Segment Identification (111-AM) = "28"			y (Using Claim Billing) or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
339-6C	Other Payer ID Qualifier		RW	Required if Other Payer ID (340-7C) is used.
340-7C	Other Payer ID		RW	Required if other insurance information is available for coordination of benefits.
991- MH	Other Payer Processor Control Number		RW	Required if other insurance information is available for coordination of benefits.
356-NU	Other Payer Cardholder ID		RW	Required if other insurance information is available for coordination of benefits.
992-MJ	Other Payer Group ID		RW	Required if other insurance information is available for coordination of benefits.
142-UV	Other Payer Person Code		RW	Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	Other Payer Help Desk Phone Number		RW	Required if needed to provide a support telephone number of the other payer to the receiver.
143- UW	Other Payer Patient Relationship Code		RW	Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer.
144-UX	Other Payer Benefit Effective Date		RW	Required when other coverage is known which is after the Date of Service submitted.

•	oonse Coordination of s/Other Payers Segment Identification (111-AM) = "28"			/ (Using Claim Billing) or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
145-UY	Other Payer Benefit Termination Date		RW	Required when other coverage is known which is after the Date of Service submitted.

6.2.2 Accepted/Rejected

Response Transaction Header Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	Χ	

Response Transaction Header Segment		Drug Price Inquiry (Using Claim Billing) Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B1	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is situational.	X	

•	onse Message Segment gment Identification (111-AM) = "20"	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
504-F4	Message		RW	Required if text is needed for clarification or detail.	

Response Insurance Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	
This Segment is situational.		

	nse Insurance Segment gment Identification (111-AM) = "25"	Drug Pr	• •	v (Using Claim Billing) ed/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	Group ID		R	
524-FO	Plan ID		RW	
302-C2	Cardholder ID		RW	

Response Patient Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	Χ	Sent when known by plan.

Response Patient Segment Segment Identification (111-AM) = "29"		Drug Price Inquiry (Using Claim Billing) Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	Patient First Name		RW	Required if known.
311-CB	Patient Last Name		RW	Required if known.

•	onse Patient Segment gment Identification (111-AM) = "29"	Drug Pr		/ (Using Claim Billing) ed/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	Date of Birth		RW	Required if known.

Response Status Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Drug Price Inquiry (Using Claim Billing) Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Reject	М	
503-F3	Authorization Number		RW	Required if needed to identify the transaction.
510-FA	Reject Count	Maximum count 5.	R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count	Maximum count 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.

	oonse Status Segment gment Identification (111-AM) = "21"	Drug Pr	rice Inquiry (Using Claim Billing) Accepted/Rejected	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.
987-MA	URL		RW	Provided for informational purposes only to relay health care communications via the Internet.

Response Claim Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Claim Segment Segment Identification (111-AM) = "22"		Drug Price Inquiry (Using Claim Billing) Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	Prescription/ Service Reference Number Qualifier	1 = Rx Billing	М	
402-D2	Prescription/ Service Reference Number		М	

Response DUR/PPS Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is situational.	X	Sent when DUR intervention is encountered during claim adjudication.

Response DUR/PPS Segment Segment Identification (111-AM) = "24"		Drug Price Inquiry (Using Claim Billing) Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS Response Code Counter	Maximum 9 occurrences supported.	RW	Required if Reason for Service Code (439-E4) is used.
439-E4	Reason for Service Code		RW	Required if utilization conflict is detected.
528-FS	Clinical Significance Code		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	Other Pharmacy Indicator		RW	Required if needed to supply additional information for the utilization conflict.
530-FU	Previous Date of Fill		RW	Required if Quantity of Previous Fill (531-FV) is used.
531-FV	Quantity of Previous Fill		RW	Required if Previous Date of Fill (530-FU) is used.
532-FW	Database Indicator		RW	Required if needed to supply additional information for the utilization conflict.
533-FX	Other Prescriber Indicator		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR Free Text Message		RW	Required if needed to supply additional information for the utilization conflict.
570-NS	DUR Additional Text		RW	Required if needed to supply additional information for the utilization conflict.

Response Coordination of Benefits/Other Payers Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Accepted/Rejected If Situational, Payer Situation
This Segment is situational.	X	Sent when Other Health Insurance (OHI) is encountered during claim processing.

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"		Drug Price Inquiry (Using Claim Billing) Accepted/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
355-NT	Other Payer ID Count	Maximum count of 3.	М		
338-5C	Other Payer Coverage Type		М		
339-6C	Other Payer ID Qualifier		RW	Required if Other Payer ID (340-7C) is used.	
340-7C	Other Payer ID		RW	Required if other insurance information is available for coordination of benefits.	

6.2.3 Rejected/Rejected

Response Transaction Header Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Transaction Header Segment		Drug Price Inquiry (Using Claim Billing) Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	B1	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	R = Rejected	М	

Response Transaction Header Segment		Drug Price Inquiry (Using Claim Billing) Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Rejected/Rejected If Situational, Payer Situation
This Segment is situational.	X	

•	Response Message Segment Segment Identification (111-AM) = "20"		Drug Price Inquiry (Using Claim Billing) Rejected/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation		
504-F4	Message		RW	Required if text is needed for clarification or detail.		

Response Status Segment Questions	Check	Drug Price Inquiry (Using Claim Billing) Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Drug Price Inquiry (Using Claim Billing) Rejected/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
112-AN	Transaction Response Status	R = Reject	М		
503-F3	Authorization Number		RW	Required if needed to identify the transaction.	

Response Status Segment Segment Identification (111-AM) = "21"		Drug Price Inquiry (Using Claim Billing) Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
510-FA	Reject Count	Maximum count 5.	R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used.
549-7F	Help Desk Phone Number Qualifier		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number		RW	Required if needed to provide a support telephone number to the receiver.

End of Response Drug Price Inquiry (Using Claim Billing) Template

7.0 NCPDP Version D.0 Eligibility Verification Template

7.1 E1 – Eligibility Verification Request

Start of Request Eligibility Verification (E1) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Request Eligibility Verification Transaction for NCPDP Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Question	Check	Eligibility Verification
This segment is always sent.	X	
Source of certification IDs required in Software	Х	
Vendor/Certification ID is Payer issued.		

Transaction Header Segment		Eligibility Verification		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN Number	022659	М	
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	E1	М	
104-A4	Processor Control Number	6334225	М	
109-A9	Transaction Count	1	М	
202-B2	Service Provider ID Qualifier	01 = National Provider Identifier (NPI)	M	
201-B1	Service Provider ID		М	
401-D1	Date of Service		М	
110-AK	Software Vendor/ Certification ID		M	Required when vendor is certified with Magellan – otherwise submit all zeroes.

Insurance Question	Check	Eligibility Verification
This segment is always sent.	X	

	nsurance Segment gment Identification (111-AM) = "04"		Eligib	ility Verification
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
302-C2	Cardholder Identification Number		М	Submit Cardholder Identification Number (CIN), Health Access Programs (HAP), or Benefits Identification Card (BIC).

Patient Question	Check	Eligibility Verification
This segment is always sent.	X	

Patient Segment Segment Identification (111-AM) = "01"		Eligibility Verification		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	Date of Birth		R	
305-C5	Patient Gender Code		R	
311-CB	Patient Last Name		R	
307-C7	Place of Service		RW	Required if this field could result in different coverage, or pricing, or patient financial responsibility. Please submit NCPDP field 384-4X Patient Residence to identify Long Term Care.
384-4X	Patient Residence	3 = Nursing Facility 9 = Intermediate Care Facility/Individual s with Intellectual Disabilities	RW	NEW! Required if this field could result in different coverage, pricing, or patient financial responsibility. Required for Long Term Care.

End of Request Eligibility Verification (E1) Payer Sheet Template

7.2 E1 – Eligibility Verification Response

7.2.1 Accepted/Approved

Start of Response Eligibility Verification (E1) Payer Sheet Template

Refer to the <u>General Information</u> tables at the beginning of this document for contact and processing information.

The following lists the segments and fields in a Response Eligibility Transaction (Accepted/Approved) for *NCPDP Telecommunication Standard Implementation Guide Version D.O.*

Response Transaction Header Question	Check	Eligibility Verification Accepted/Approved
This segment is always sent.	X	

Response Transaction Header Segment		Eligibility Verification Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	M	
103-A3	Transaction Code	E1	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	M	
401-D1	Date of Service	Same value as in request.	M	

Response Message Segment Question	Check	Eligibility Verification Accepted/Approved
This segment is always sent.		
This segment is situational.	X	Provide general information when used for transmission-level messaging.

	Response Message gment Identification (111-AM) = "20"			ility Verification pted/Approved
Field #	NCPDP Field Name	Value Payer Payer Situation		Payer Situation
504-F4	Message		RW	Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Eligibility Verification Accepted/Approved
This segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Eligibility Verification Accepted/Approved		
Field #	NCPDP Field Name	Values	Payer Usage	Payer Situation
112-AN	Transaction Response Status	A = Approved	М	
130-UF	Additional Message Information Count		RW	Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information		RW	Required when additional text is needed for clarification or detail. Payer Requirement: This field will contain response specific text.
131-UG	Additional Message Information Continuity		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used. Another populated repetition of Additional Message Information (526-FQ) follows it and the text of the following message is a continuation of the current.

7.2.2 Accepted/Rejected

Response Transaction Header Question	Check	Eligibility Verification Accepted/Rejected
This segment is always sent.	X	

Response Transaction Header Segment		Eligibility Verification Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	E1	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	A = Accepted	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Eligibility Verification Accepted/Rejected
This segment is always sent.		
This segment is situational.	X	Provide general information when used for transmission-level messaging.

Response Message Segment Segment Identification (111-AM) = "20"		Eligibility Verification Accepted/Rejected		
Field #	NCPDP Field Name	Value Payer Payer Situation		Payer Situation
504-F4	Message		RW	Imp Guide: Required if text is needed for clarification or detail.

Response Status Segment Question	Check	Eligibility Verification Accepted/Rejected
This segment is always sent.	X	

-	oonse Status Segment gment Identification (111-AM) = "21"	Eligibility Verification Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	Transaction Response Status	R = Rejected	М	
510-FA	Reject Count		R	
511-FB	Reject Code		R	
546-4F	Reject Field Occurrence Indicator		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	Additional Message Information Count		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.
526-FQ	Additional Message Information (Repeat)		RW	Imp Guide: Required when additional text is needed for clarification or detail.
131-UG	Additional Message Information Continuity		RW	Imp Guide: Required only if current repetition of Additional Message Information (526-FQ) is used. Another populated repetition of Additional Message Information (526-FQ) follows it and the text of the following message is a continuation of the current.

	oonse Status Segment gment Identification (111-AM) = "21"	Eligibility Verification Accepted/Rejected		
Field #	NCPDP Field Name	Value Payer Payer Situation		
549-7F	Help Desk Phone Number Qualifier		RW	<i>Imp Guide</i> : Required if Help Desk Phone Number (550-8F) is used.
550-8F	Help Desk Phone Number	RW Imp Guide: Required if need to provide a support teleph		Imp Guide: Required if needed to provide a support telephone number to the receiver.

7.2.3 Rejected/Rejected

Response Transaction Header Question	Check	Eligibility Verification Rejected/Rejected
This segment is always sent.	X	

Response Transaction Header Segment		Eligibility Verification Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	Version/Release Number	D0	М	
103-A3	Transaction Code	E1	М	
109-A9	Transaction Count	Same value as in request.	М	
501-F1	Header Response Status	R = Rejected	М	
202-B2	Service Provider ID Qualifier	Same value as in request.	М	
201-B1	Service Provider ID	Same value as in request.	М	
401-D1	Date of Service	Same value as in request.	М	

Response Message Segment Question	Check	Eligibility Verification Rejected/Rejected
This segment is always sent.		
This segment is situational.	X	Provide general information when used for transmission-level messaging.

Response Message Segment Segment Identification (111-AM) = "20"		Eligibility Verification Rejected/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
504-F4	Message		RW	Imp Guide: Required if text is needed for clarification or detail.	

Response Status Segment Question	Check	Eligibility Verification Rejected/Rejected
This segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"		Eligibility Verification Rejected/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
112-AN	Transaction Response Status	R = Rejected	М		
510-FA	Reject Count		R		
511-FB	Reject Code		R		
546-4F	Reject Field Occurrence Indicator		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.	
130-UF	Additional Message Information Count		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.	
132-UH	Additional Message Information Qualifier		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.	
526-FQ	Additional Message Information (Repeat)		RW	Imp Guide: Required when additional text is needed for clarification or detail.	

04/01/2022

115

Response Status Segment Segment Identification (111-AM) = "21"		Eligibility Verification Rejected/Rejected			
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation	
				Payer Requirement: This field will contain response specific text.	
131-UG	Additional Message Information Continuity		RW	Imp Guide: Required if and only if current repetition of Additional Message Information (526-FQ) is used. Another populated repetition of Additional Message Information (526-FQ) follows it and the text of the following message is a continuation of the current.	
549-7F	Help Desk Phone Number Qualifier		RW	<i>Imp Guide</i> : Required if Help Desk Phone Number (550-8F) is used.	
550-8F	Help Desk Phone Number		RW	Imp Guide: Required if needed to provide a support telephone number to the receiver.	

End of Response Eligibility Verification (E1) Payer Sheet Template

Appendix A – Detailed History of Changes

Field/	Update Description	Update	Version/
Section	Spaate Bescription	Location	Date
Section 6.0	Added new section detailing B1 – Drug Price Inquiry	Section 6.0	1.1 09/23/2021
Section 7.0	Added new section detailing E1 – Eligibility Verification	Section 7.0	1.1 09/23/2021
307-C7	Removed the following language: "The use of "31", "32", or "54" in this field as an identifier for beneficiaries residing in Long Term Care will sunset on 2/28/2021." Added the following language: "Please submit NCPDP field 384-4X Patient Residence to identify Long Term Care."	Section 1.1 Section 5.1 Section 7.1	1.1 09/23/2021
408-D8	Added the following language: "0 = No Product Selection Indicated 1 = Substitution Not Allowed by Prescriber 9 = Substitution Allowed by Prescriber – Plan Requests Brand" "Enter '1' to identify when the brand drug/product is medically necessary as indicated by the prescriber.	Section 1.1 Section 5.1 Section 6.1	2.1 03/25/2022
420-DK	Added the following language: "2 = Other Override – Submit for Initial Dose of COVID vaccine." "6 = Starter Dose – Submit for final dose of COVID vaccine." Updated comment from: "6 = Starter Dose – Submit for final dose of COVID vaccine. 7 = Medically Necessary (indicates that Code 1 Restrictions have been met)" To: "6 = Starter Dose – Submit for second dose of COVID vaccine. 7 = Medically Necessary (indicates that Code 1 Restrictions have been met) – Submit for third dose of COVID vaccine." Added the following language:	Section 1.1	1.1 09/23/2021 03/25/2022

Field/ Section	Update Description	Update Location	Version/ Date
	"10 = Meets Plan Limitations – Submit for booster dose of COVID vaccine."		
461-EU	Removed the following language: "1 – Prior Authorization (PA) (used for Medi-Cal pricing)" "Required if this field could result in different	Section 1.1	1.1 09/23/2021
	coverage, pricing, or patient financial responsibility. Submit "1" only when PA is approved to override Medi-Cal pricing." "Submit "1" only when PA is approved to override Medi-Cal pricing. Do not submit "1" for PAs that are not for pricing."		2.1 03/25/2022
423-DN	Added the following language: "Submit "15" – Free product or no associated cost."	Section 1.1	1.1 09/23/2021
436-E1	Corrected text from "436-EI" to "436-E1" Added language in Payer Situation field to be consistent with field in other sections: "00 = Compound 03 = NDC, Medical Supplies and Enteral Nutrition"	Section 1.1 Section 2.1 Section 5.1 Section 6.1	1.1 09/23/2021
488-RE	Removed the following value: "99 = Other (Container Count)" Removed the following language: "99 – Other (Container Count) Must be accompanied with 9999999997 in field 489-TE."	Section 1.1 Section 5.1	2.1 03/25/2022
449-EE	Added the following language: "Enter the ingredient drug cost (must be greater than \$0.00.)"	Section 1.1	2.1 03/25/2022