

COVID-19 Vaccine

Temperature Log for Refrigerator Vaccine Storage (Celsius) Days 1-15



Store COVID-19 vaccines between 2°C and 8°C. Using a digital data logger (DDL), check and record the temperature daily using one of the options below. Save this record for 3 years, unless your state/local jurisdiction requires a longer time period. See CDC's Vaccine Storage and Handling Toolkit, COVID-19 Addendum, for additional information.

Option 1: Minimum/Maximum (Min/Max) Temperatures (preferred)

- 1. Most DDLs display minimum and maximum temperatures. Check and record the min/max temperatures at the start of each workday.
- 2. Document these temperatures in the min/max temperature row under the appropriate date.

Option 2: Current Temperature

- 1. If the DDL does not display min/max temperatures, check and record the current temperature at the start and end of the workday.
- Document these temperatures by writing an "X" in the row that corresponds to the refrigerator temperature under the appropriate day of the month.
- 3. Review the continuous DDL temperature data daily.



- 1. Do **NOT** discard the vaccine.
- 2. Label the vaccine "Do Not Use."
- 3. Complete the Vaccine Troubleshooting Record.
- 4. Contact the manufacturer to determine under what conditions (refrigerated) to store the vaccine as quickly as possible.

Month Facility Name									IN N	umb	er _																			
Day of the month	1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
Time																														
Staff initials																														
Min/max temperatures																														
Temperatures lo	wer t	han 2	2°C an	nd hig	her t	han 8	°C are	e out	of ra	nge. (Comp	lete a	Vaccii	ne Tro	ubles	hooti	ng Re	cord.	Conta	act th	e man	ufact	urer a	nd yo	our im	muni	zatio	n prog	gram.	
Time	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	Р
Staff initials																														
2°C																														
3°C																														
4°C																														
5°C																														
6°C																														
7°C																														
8°C																														\top



COVID-19 Vaccine

Temperature Log for Refrigerator Vaccine Storage (Celsius) Days 16-31



Store COVID-19 vaccines between 2°C and 8°C. Using a digital data logger (DDL), check and record the temperature daily using one of the options below. Save this record for 3 years, unless your state/local jurisdiction requires a longer time period. See CDC's Vaccine Storage and Handling Toolkit, COVID-19 Addendum, for additional information.

Option 1: Minimum/Maximum (Min/Max) Temperatures (preferred)

- 1. Most DDLs display minimum and maximum temperatures. Check and record the min/max temperatures at the start of each workday.
- 2. Document these temperatures in the min/max temperature row under the appropriate date.

Option 2: Current Temperature

- 1. If the DDL does not display min/max temperatures, check and record the current temperature at the start and end of the workday.
- Document these temperatures by writing an "X" in the row that corresponds to the refrigerator temperature under the appropriate day of the month.
- 3. Review the continuous DDL temperature data daily.



- 1. Do **NOT** discard the vaccine.
- 2. Label the vaccine "Do Not Use."
- 3. Complete the Vaccine Troubleshooting Record.
- 4. Contact the manufacturer to determine under what conditions (refrigerated) to store the vaccine as quickly as possible.

Month Facility Name _									PIN I	Num	ber																					
Day of the month	16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		3	31
Time																																
Staff initials																																
Min/max temperatures																																
Temperatures lov	ver th	an 2	°C an	d hig	her t	han 8	3°C a	re ou	t of r	ange	. Con	nplet	e a Va	ccine	Trou	blesh	ootir	ng Re	cord.	Cont	act th	ne ma	nufa	cture	r and	your	imm	uniza	ation	progr	am.	
Time	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	
Staff initials																																
2°C																																
3°C																																
4°C																																
5°C																																Ī
6°C																																İ
7°C																																Ī
8°C																																Ť

For additional information, see the vaccine manufacturer's product information.

Adapted with appreciation from the Immunization Action Coalition (IAC) temperature log